





TECH CENTER 1600/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Roman Sakowicz et al.

Serial No.:

09/235,416

Filed: Entitled: 01/22/99

Group No.:

1645

Examiner:

Identification and Expression of a Novel Kinesin Motor

Protein

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT TRANSMITTAL

Assistant Commissioner for Patents Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8(a)(1)(i)(A)

I hereby certify that this correspondence (along with any referred to as being attached or enclosed) is, on the date shown below, being deposited with the U.S. Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Dated: May 1, 2001

Sir or Madam:

Enclosed please find an Information Disclosure Statement and Form PTO-1449, including copies of the references contained thereon, for filing in the U.S. Patent and Trademark Office.

A check for \$180.00 is also enclosed pursuant to 37 C.F.R. § 1.17(p) for filing this Information Disclosure Statement after the first office communication as set forth in 37 C.F.R. § 1.97(c).

The Commissioner is hereby authorized to charge any additional fee or credit overpayment to our Deposit Account No. 08-1290. An originally executed duplicate of this transmittal is enclosed for this purpose.

Dated: May 1, 2001

Kamrin T. MacKnight

Registration No. 38,230

MEDLEN & CARROLL, LLP 220 Montgomery Street, Suite 2200 San Francisco, California 94104 415/705-8410

Group No.: 1645

L. Lee

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Sakowicz et al.

Serial No.:

09/235,416

01/22/99

Examiner:

Filed: Entitled:

IDENTIFICATION AND EXPRESSION OF A NOVEL KINESIN MOTOR PROTEIN

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents Washington, D.C. 20231

CERTIFICATE OF MAILING UNDER 37 CFR § 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Washington, D.C. 20231.

Sir or Madam:

The citations listed below, copies attached, may be material to the examination of the above-identified application, and are therefore submitted in compliance with the duty of disclosure defined in 37 C.F.R. §§ 1.56 and 1.97. The Examiner is requested to make these citations of official record in this application. The following printed publications are referred to in the body of the specification and are relevant for the reasons described therein:


- U.S. Patent No. 4,366,241 to Tom (12/28/82);
- U.S. Patent No. 4,376,110 to David (3/8/83);
- U.S. Patent No. 4,391,904 to Litman (7/5/83);
- U.S. Patent No. 4,469,863 to Ts'o (9/4/84);
- U.S. Patent No. 4,517,288 to Giegel (5/14/85);
- U.S. Patent No. 4,683,195 to Mullis (7/28/87);
- U.S. Patent No. 4,683,202 to Mullis (7/28/87);
- U.S. Patent No. 4,736,866 to Leder (4/12/88);
- U.S. Patent No. 4,816,567 to Cabilly (3/28/89);

05/08/2001 AGDITOM 00000073 09235416

TECH CENTER 1600/290



- U.S. Patent No. 4,837,168 to De Jaeger (6/6/89);
- U.S. Patent No. 4,870,009 to Evans (9/26/89);
- U.S. Patent No. 5,034,506 to Summerton (7/23/91);
- U.S. Patent No. 5,216,141 to Benner (6/1/93);
- U.S. Patent No. 5,235,033 to Summerton (8/10/93);
- U.S. Patent No. 5,283,173 to Fields (2/1/94);
- U.S. Patent No. 5,386,023 to Sanghvi (1/31/95);
- U.S. Patent No. 5,468,614 to Fields (11/21/95);
- U.S. Patent No. 5,525,490 to Erickson (6/11/96);
- U.S. Patent No. 5,545,806 to Lonberg (8/13/96);
- U.S. Patent No. 5,545,807 to Surani (8/13/96);
- U.S. Patent No. 5,569,825 to Lonberg (10/29/96);
- U.S. Patent No. 5,602,240 to De Mesmaeker (2/11/97);
- U.S. Patent No. 5,625,126 to Lonberg (4/29/97);
- U.S. Patent No. 5,633,425 to Lonberg (5/27/97);
- U.S. Patent No. 5,637,463 to Dalton (6/10/97);
- U.S. Patent No. 5,637,684 to Cook (6/10/97);
- U.S. Patent No. 5,644,048 to Yau (7/1/97);
- U.S. Patent No. 5,661,016 to Lonberg (8/26/97);
- U.S. Patent No. 5,667,973 to Fields (9/16/97);
- WO 93/08829 to Wabl (5/13/93);
- Akerstrom *et al.*, "Protein G: a powerful tool for binding and detection of monoclonal and polyclonal antibodies," *J Immunol.* 135:2589-92 (1985);
- Altschul et al., "Basic local alignment search tool," J Mol Biol. 215:403-10 (1990);
- Asai (ed.), <u>Methods in Cell Biology</u> Volume 37 San Diego: Academic Press (1993) not supplied;
- Ausubel et al. (eds.) <u>Current Protocols in Molecular Biology</u> New York: Wiley (1994) not supplied;
- Batzer et al., "Enhanced evolutionary PCR using oligonucleotides with inosine at the 3'-terminus," Nucleic Acids Res. 19:5081 (1991);





Beaucage and Caruthers, "Optimistic about antisense," Tetrahedron Letts 22:1859-1862 (1981);

Beaucage and Iyer, "The functionalization of oligonucleotides via phosphoramidite derivatives," *Tetrahedron* 49:1925 (1993);

- Benton and Davis, "Screening lambdagt recombinant clones by hybridization single plaques in situ," Science. 196:180-2 (1977);
- Boerner et al., "Production of antigen-specific human monoclonal antibodies from in vitro-primed human splenocytes," J Immunol. 147:86-95 (1991);
- Bradley, "Production and analysis of chimeric mice," in Teratocarcinomas and Embryonic Stem Cells: A Practical Approach Robertson (ed.) Oxford: IRL Press Limited, pp. 113-152 (1987);
- Brill et al., "Synthesis of oligodeoxynucleoside phosphorodithioates via thioamidites," J Am Chem Soc 111:2321-2322 (1989);
- Chien et al., "The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest," Proc Natl Acad Sci U S A. 88:9578-82 (1991);
- Clark-Curtiss and Curtiss, "Analysis of recombinant DNA using Escherichia coli minicells," in Methods Enzymol. Wu et al., (eds.) 101:347-62 (1983);
- Cole et al., "The EBV-hybridoma technique and its application to human lung cancer," in Monoclonal Antibodies and Cancer Therapy, Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss, Inc. (1985);
- Colley et al., "Conversion of a Golgi apparatus sialyltransferase to a secretory protein by replacement of the NH2-terminal signal anchor with a signal peptide," J Biol Chem. 264:17619-22 (1989);
- Coligan (ed.), Current Protocols in Immunology, New York: Greene Publishing Associates and Wiley-Interscience (1991) not supplied;
- Dang et al., "Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization," Mol Cell Biol. 11:954-62 (1991);
- DeMesmaeker et al., "Comparison of rigid and flexible backbones in antisense oligonucleotides," Bioorganic and Medicinal Chem Lett 4:395-398 (1994);





Dempcy et al., "Synthesis of a thymidyl pentamer of deoxyribonucleic guanidine and binding studies with DNA homopolynucleotides," *Proc Natl Acad Sci U S A.* 92:6097-101 (1995);

- Deutscher (ed.) Methods in Enzymology vol. 182, San Diego: Academic Press Inc. (1990) not supplied;
- Eckstein (ed.) Oligonucleotides and Analogues: A Practical Approach, New York: IRL Press (1991) not supplied;
- Egholm *et al.*, "Peptide nucleic-acids (pna): oligonucleotide analogs with an achiral peptide backbone," *J Am Chem Soc* 114:1895-1897 (1992);
- Fearon et al., "Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in mammalian cell," Proc Natl Acad Sci U S
 A. 89:7958-62 (1992);
- Feng and Doolittle, "Progressive sequence alignment as a prerequisite to correct phylogenetic trees," *J Mol Evol*.25:351-60 (1987);
- Fields and Song, "A novel genetic system to detect protein-protein interactions," *Nature*. 340:245-6 (1989);
- Fishwild *et al.*, "High-avidity human IgG kappa monoclonal antibodies from a novel strain of minilocus transgenic mice," *Nat Biotechnol.* 14:845-51 (1996);
- Gao and Jeffs, "Unusual conformation of a 3'-thioformacetal linkage in a DNA duplex," *J Biomol NMR*. 4:17-34 (1994);
- Goding, <u>Monoclonal Antibodies: Principles and Practice</u>, 2nd edition, Orlando:
 Academic Press (1986) not supplied;
- Grunstein and Hogness, "Colony hybridization: a method for the isolation of cloned DNAs that contain a specific gene," Proc Natl Acad Sci U S A 72:3961-5 (1975);
- Gubler and Hoffman, "A simple and very efficient method for generating cDNA libraries," *Gene* 25(2-3):263-9 (1983);
- Haase et al., "Detection of viral nucleic acids by in situ hybridization," Methods in Virology 7:189-226 (1984);
- Hackney et al., "Nucleotide-free kinesin hydrolyzes ATP with burst kinetics," J
 Biol Chem 264:15943-8 (1989);



- Hames and Higgins (eds.) Nucleic Acid Hybridisation: A Practical Approach Washington, DC: IRL Press (1987) not supplied;
- Harlow and Lane, Antibodies, A Laboratory Manual Cold Spring Harbor, NY Cold Spring Harbor Laboratory (1988) not supplied;
- Henikoff and Henikoff, "Amino acid substitution matrices from protein blocks,"

 Proc Natl Acad Sci U S A 89:10915-9 (1992);
- Higgins and Sharp, "Fast and sensitive multiple sequence alignments on a microcomputer," *Comput Appl Biosci* 5(2):151-3 (1989);
- Hoogenboom and Winter, "By-passing immunisation. Human antibodies from synthetic repertoires of germline VH gene segments rearranged in vitro," J Mol Biol 227:381-8 (1992);
- Horn *et al.*, "Oligonucleotides with alternating anionic and cationic phosphoramidate linkages: Synthesis and hybridization of stereo-uniform isomers," *Tetrahedron Letters* 37:743-746 (1996);
- Howard et al., in Motility Assays for Motor Proteins Scholey (ed.) San Diego:
 Acadmeic Press, pp. 105-113 (1993);
- Huse et al., "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda," Science 246:1275-8 (1989);
- Hyman et al., "Preparation of modified tubulins," Methods Enzymol 196:478-85 (1991);
- Innis et al. (eds.), <u>PCR Protocols: A Guide to Methods and Applications San</u>
 Diego: Academic Press (1990) not supplied;
- Jenkins and Turner, "The biosynthesis of carbocyclic nucleosides," *Chem Soc Rev* 24:169-176 (1995);
- Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse," *Nature* 321:522-5 (1986);
- Jung et al., "Hybridization of alternating cationic/anionic oligonucleotides to rna segments," *Nucleosides & Nucleotides* 13:1597-1605 (1994);
- Karlin and Altschul, "Applications and statistics for multiple high-scoring segments in molecular sequences," *Proc Natl Acad Sci U S A* 90:5873-7 (1993);



Kishino and Yanagido, "Force measurements by micromanipulation of a single actin filament by glass needles," *Nature* 334:74-6 (1988);

- Kodama et al., "The initial phosphate burst in ATP hydrolysis by myosin and subfragment-1 as studied by a modified malachite green method for determination of inorganic phosphate," J Biochem (Tokyo) 99:1465-72 (1986);
- Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," *Nature* 256:495-7 (1975);
- Kohler and Milstein, "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion," *Eur J Immunol* 6:511-9 (1976);
- Kriegler, <u>Gene Transfer and Expression: A Laboratory Manual New York: W.</u>
 H. Freeman (1990) not supplied;
- Kronvall, "A surface component in group A, C, and G streptococci with non-immune reactivity for immunoglobulin G," *J Immunol* 111:1401-6 (1973);
- Letsinger and Mungall, "Phosphoramidate analogs of oligonucleotides," *J Org Chem* 35:3800-3 (1970);
- Letsinger et al., "Effects of pendant groups at phosphorus on binding properties of d-ApA analogue," Nucleic Acids Res 14:3487-99 (1986);
- Letsinger et al., "Cationic oligonucleotides," J Am Chem Soc 110:4470 (1988);
- Li et al., "Targeted mutation of the DNA methyltransferase gene results in embryonic lethality," Cell 69:915-26 (1992);
- Lombillo et al., "Antibodies to the kinesin motor domain and CENP-E inhibit microtubule depolymerization-dependent motion of chromosomes in vitro," J Cell Biol 128:107-15 (1995);
- Lonberg and Huszar, "Human antibodies from transgenic mice," *Int Rev Immunol* 13:65-93 (1995) not supplied;
- Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," *Nature* 368:856-9 (1994);
- Mag et al., "Synthesis and selective cleavage of an oligodeoxynucleotide containing a bridged internucleotide 5'-phosphorothioate linkage," Nucleic Acids Res 19:1437-41 (1991);




PATENT Attorney Docket No. UCSD-04742

Maggio (ed.) Enzyme Immunoassay Boca Raton, FL: CRC Press (1980) not supplied;

- Marks et al., "By-passing immunization. Human antibodies from V-gene libraries displayed on phage," J Mol Biol 222:581-97 (1991);
- Marks et al., "By-passing immunization: building high affinity human antibodies by chain shuffling," Biotechnology 10:779-83 (1992);
- Meier and Engels, "Peptide nucleic-acids (pnas): unusual properties of nonionic oligonucleotide analogs," *Angewandte Chemie (Int Ed Engl)* 31:1008-1010 (1992);
- Milstein and Cuello, "Hybrid hybridomas and their use in immunohistochemistry," *Nature* 305:537-40 (1983);
- Monroe et al., Amer Clin Prod Rev 5:34-41 (1986) not supplied;
- Morrison, "Transformation in Escherichia coli: cryogenic preservation of competent cells," J Bacteriol 132:349-51 (1977);
- Morrison, "Immunology. Success in specification," *Nature* 368:812-3 (1994);
- Mosbach et al., "Formation of proinsulin by immobilized Bacillus subtilis,"
 Nature 302:543-5 (1983);
- Nazar and Wong, "Is the 5S RNA a primitive ribosomal sequence? *Proc Natl Acad Sci U S A* 82:5608-11 (1985);
- Needham-VanDevanter et al., "Characterization of an adduct between CC-1065 and a defined oligodeoxynucleotide duplex," Nucleic Acids Res 12:6159-68 (1984);
- Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," J Mol Biol 48:443-53 (1970);
- Neuberger, "Generating high-avidity human Mabs in mice," *Nat Biotechnol* 14:826 (1996);
- Ohtsuka et al., "An alternative approach to deoxyoligonucleotides as hybridization probes by insertion of deoxyinosine at ambiguous codon positions," J Biol Chem 260:2605-8 (1985);





Palva et al., "Secretion of interferon by Bacillus subtilis," Gene 22:229-35 (1983);

- Paul (ed.) <u>Fundamental Immunology</u> 3rd edition, New York: Raven Press (1993) not supplied;
- Pauwels et al., "Biological-activity of new 2-5a analogs," Chemica Scripta 26:141-145 (1986);
- Pearson and Lipman, "Improved tools for biological sequence comparison,"

 Proc Natl Acad Sci U S A 85:2444-8 (1988);
- Pearson and Reanier, "High-performance anion-exchange chromatography of oligonucleotides," *J Chrom* 255:137-149 (1983);
- Presta, "Antibody engineering," Curr Opin Struct Biol 2:593-596 (1992);
- Rawls, "Optimistic about antisense," *Chemical & Engineering News* 75:35-39 (1997);
- Riechmann *et al.*, "Reshaping human antibodies for therapy," *Nature* 332:323-7 (1988);
- Rossolini et al., "Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence information," Mol Cell Probes 8:91-8 (1994);
- Sambrook et al. (eds.), Molecular Cloning: A Laboratory Manual 2nd edition,
 New York: Cold Spring Harbor Laboratory (1989) not supplied;
- Sanghvi and Cook (eds.) <u>Carbohydrate Modifications in Antisense Research</u>,
 ASC Symposium Series 580, Washington, DC: ACS Publications (1994) not supplied;
- Sawai, "Synthesis and properties of oligoadenylic acids containing 2'-5' phosphoramide linkage," *Chem Lett* pp.805-808 (1984) not supplied;
- Singer *et al.*, "Optimization of in situ hybridization using isotopic and non-isotopic detection methods," *Biotechniques* 4:230-250 (1986);
- Smith and Waterman, "Comparison of biosequences," Adv Appl Math 2:482 (1981);
- Sprinzl et al., "Enzymatic incorporation of ATP and CTP analogues into the 3' end of tRNA," Eur J Biochem 81:579-89 (1977);





Stewart et al., "Direction of microtubule movement is an intrinsic property of the motor domains of kinesin heavy chain and Drosophila ncd protein," Proc Natl Acad Sci U S A 90:5209-13 (1993);

- Stites and Terr (eds.) <u>Basic and Clinical Immunology</u> 7th edition, Norwalk:
 Appleton and Lange (1991) not supplied;
- Suresh *et al.*, "Bispecific monoclonal antibodies from hybrid hybridomas," *Methods Enzymol* 121:210-28 (1986);
- Thomas and Capecchi, "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," *Cell* 51:503-12 (1987);
- Tijssen, <u>Laboratory Techniques in Biochemistry and Molecular Biology:</u>
 <u>Hybridization with Nucleic Acid Probes</u> Vol. 24, Amsterdam: Elsevier (1993)
 not supplied;
- Traunecker *et al.*, "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," *EMBO J* 10:3655-9 (1991);
- Vale *et al.*, "Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility," *Cell* 42:39-50 (1985);
- Vasavada et al., "A contingent replication assay for the detection of protein-protein interactions in animal cells," Proc Natl Acad Sci U S A 88:10686-90 (1991);
- Verhoeyen et al., "Reshaping human antibodies: grafting an antilysozyme activity," Science 239:1534-6 (1988);
- Vonkiedrowski et al., "Parabolic growth of a self-replicating hexadeoxynucleotide bearing a 3',5'-phosphoamidate linkage," Angewandte Chemie-International Edition in English 30:423-426 (1991);
- Wallace *et al.*, "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," *Gene* 16:21-6 (1981);
- Ward et al., "Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia coli," Nature 341(6242):544-6 (1989);
- Webster, <u>Introduction to Fungi</u> Cambridge: Cambridge University Press (1970) not supplied;



PATENT
Attorney Docket No. UCSD-04742,

Zamecnik *et al.*, "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA," *Proc Natl Acad Sci U S A*. 83:4143-6 (1986).

This Information Disclosure Statement under 37 C.F.R. §§ 1.56 and 1.97 is not to be construed as a representation that a search has been made, that additional information material to the examination of this application does not exist, or that any one or more of these citations constitutes prior art.

Dated: 1 May 2001

Kamrin T. MacKnight
Registration No. 38,230
MEDLEN & CARROLL, LLP
220 Montgomery Street, Suite 2200

San Francisco, California 94104 415/705-8410

- 10 -

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UCSD-04742

Serial No.: 09/235,416 C

ION DISCLOSURE STATEMENT BY APPLICANT

(Use Several Sheets If Necessary)

Applicant: Roman Sakowicz et al.

(37 CFR § 1.5		(• •	Filing Date: 01/22/99		Group Art Un	it: 16	2 7
				U.S. PATENT DOCUMENTS			10/2	7007
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applicant / Patentee	Class	Subclass	1600/290 £	Date
	1	4,366,241	12/28/82	Tom	435	7.91	8/7/	80
_	2	4,376,110	3/8/83	David	435	5	8/4/	80
	3	4,391,904	7/5/83	Litman	435	7.91	4/17	/81
	4	4,469,863	9/4/84	Ts'o	536	24.5	11/12	2/80
	5	4,517,288	5/14/85	Giegel	435	5	1/23	/81
	6	4,683,195	7/28/87	Mullis	435	6	2/7/	86
	7	4,683,202	7/28/87	Mullis	435	91.2	10/25	5/85
	8	4,736,866	4/12/88	Leder	800	10	6/22	/84
	9	4,816,567	3/28/89	Cabilly	530	387.3	4/8/	83
	10	4,837,168	6/6/89	de Jaeger	436	533	12/15	5/86
	11	4,870,009	9/26/89	Evans	435	69.4	15/15	5/83
	12	5,034,506	7/23/91	Summerton	528	391	12/20)/89
	13	5,216,141	6/1/93	Benner	536	27.13	6/6/	88
	14	5,235,033	8/10/93	Summerton	528	391	12/20)/89
	15	5,283,173	2/1/94	Fields	435	6	1/24	/90
	16	5,386,023	1/31/95	Sanghvi	536	25.3	3/31.	/93
,	17	5,468,614	11/21/95	Fields	435	6	1/1/	94
	18	5,525,490	6/11/96	Erickson	435	9	3/29	/94
	19	5,545,806	8/13/96	Lonberg	800	6	12/16	5/92
	20	5,545,807	8/13/96	Surani	800	6	8/5/	94
	21	5,569,825	10/29/96	Lonberg	800	18	12/17	7/91
 	22	5,602,240	2/11/97	De Mesmaeker	536	22.1	4/25	/94
	23	5,625,126	4/29/97	Lonberg	800	18	12/7	/94
	24	5,633,425	5/27/97	Lonberg	800	18	2/5/	92
	25	5,637,463	6/10/97	Dalton	435	6	5/4/	95
	26	5,637,684	6/10/97	Cook	536	23.1	2/23	/94
	27	5,644,048	7/1/97	Yau	536	25.3	12/18	3/92
	28	5,661,016	8/26/97	Lonberg	435	452	4/26	
	29	5,667,973	9/16/97	Fields	435	6	6/7/	
	1		· · · · · · · · · · · · · · · · · · ·	OR PUBLISHED FOREIGN PATENT APPLI				
		T					Transl	ation
		Document Number	Publication Date	Country / Patent Office	Class	Subclass	Yes	No
		<u> </u>					1 65	110

Examiner:

(Modif ad

Date Considered:

EXAMINER:


Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UCSD-04742

Serial No.: 09/235,416

PAPIETS	ORMATO	N DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)	Applicant: Roman Sakowicz et al.			
7 CFR § 1.	-		Filing Date: 01/22/99	Group Art Unit:		
		OTHER DOCUMENTS (Including Author, Title,	Date, Relevant Pages, Place of Publication)			
	31	Akerstrom et al., "Protein G: a powerful tool for binding and (1985);	d detection of monoclonal and polyclonal an	ntibers ECENTE		
	32	Altschul et al., "Basic local alignment search tool," J Mol Biol. 215:403-10 (1990);				
	33	Asai (ed.), Methods in Cell Biology Volume 37 San Diego: Academic Press (1993) not supplied;				
_	34	Ausubel et al. (eds.) Current Protocols in Molecular Biology New York: Wiley (1994) not supplied; TECH CENTER 1600/296(
	35	Batzer et al., "Enhanced evolutionary PCR using oligonucleotides with inosine at the 3'-terminus," Nucleic Acids Res. 19:5081 (1991);				
	36	Beaucage and Caruthers, "Optimistic about antisense," Tetrahedron Letts 22:1859-1862 (1981);				
	37	Beaucage and lyer, "The functionalization of oligonucleotides via phosphoramidite derivatives," Tetrahedron 49:1925 (1993);				
	38	Benton and Davis, "Screening lambdagt recombinant clones by hybridization to single plaques in situ," Science. 196:180-2 (1977);				
Boerner <i>et al.</i> , "Production of antigen-specific human monoclonal antibodies from in vitro-primed human sp. 147:86-95 (1991);			n splenocytes," J Immunol.			
	40	Bradley, "Production and analysis of chimeric mice," in Terro Oxford: IRL Press Limited, pp. 113-152 (1987);	atocarcinomas and Embryonic Stem Cells: A	A Practical Approach Robertson (ed		
	41	Brill et al., "Synthesis of oligodeoxynucleoside phosphorodithioates via thioamidites," J Am Chem Soc 111:2321-2322 (1989);				
<u></u>	42	Chien et al., "The two-hybrid system: a method to identify a Acad Sci U S A. 88:9578-82 (1991);	and clone genes for proteins that interact wi	th a protein of interest," Proc Natl		
	43	Clark-Curtiss and Curtiss, "Analysis of recombinant DNA using Escherichia coli minicells," in Methods Enzymol. Wu et al., (eds.) 101:347-62 (1983);				
	44	Cole et al., "The EBV-hybridoma technique and its applicate Reisfeld et al. (eds.), pp. 77-96, Alan R. Liss,Inc. (1985);	ion to human lung cancer," in Monoclonal	Antibodies and Cancer Therapy,		
	45	Colley et al., "Conversion of a Golgi apparatus sialyltransfer with a signal peptide," J Biol Chem. 264:17619-22 (1989);	rase to a secretory protein by replacement o	f the NH2-terminal signal anchor		
	46	Coligan (ed.), Current Protocols in Immunology, New York: Greene Publishing Associates and Wiley-Interscience (1991) not supplied;				
	47	Dang et al., "Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization," Mol Cell Biol. 11:954-62 (1991);				
	48	DeMesmaeker et al., "Comparison of rigid and flexible backbones in antisense oligonucleotides," Bioorganic and Medicinal Chem Lett 4:395-398 (1994);				
	49	Dempcy et al., "Synthesis of a thymidyl pentamer of deoxyribonucleic guanidine and binding studies with DNA homopolynucleotides," Pr. Natl Acad Sci U S A. 92:6097-101 (1995);				
	50	Deutscher (ed.) Methods in Enzymology vol. 182, San Diego: Academic Press, Inc. (1990) not supplied;				
	51	Eckstein (ed.) Oligonucleotides and Analogues: A Practical Approach, New York: IRL Press (1991) not supplied;				
52		Egholm et al., "Peptide nucleic-acids (pna): oligonucleotide analogs with an achiral peptide backbone," J Am Chem Soc 114:1895-1897 (1992);				
Fearon et al., "Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in Natl Acad Sci U S A. 89:7958-62 (1992);			iteractions in mammalian cell," Pro			
	54	Feng and Doolittle, "Progressive sequence alignment as a prerequisite to correct phylogenetic trees," J Mol Evol.25:351-60 (1987);				
	55	Fields and Song, "A novel genetic system to detect protein-protein interactions," Nature. 340:245-6 (1989);				
	56	Fishwild et al., "High-avidity human IgG kappa monoclonal 14:845-51 (1996);	antibodies from a novel strain of minilocus	s transgenic mice," Nat Biotechnol.		
	57	Gao and Jeffs, "Unusual conformation of a 3'-thioformaceta	I linkage in a DNA duplex," J Biomol NMR	2. 4:17-34 (1994);		
	58	Goding, Monoclonal Antibodies: Principles and Practice, 2n	d edition, Orlando: Academic Press (1986)	not supplied;		
caminer:			Date Considered:			



U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: UCSD-04742

Serial No.: 09/235,416

INFO	INFORGATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)		Applicant: Roman Sakowicz et al.				
7 CFR § 1.98		(Use Several Sheets II Necessary)	Filing Date: 01/22/99	Group Art Unit:			
		OTHER DOCUMENTS (Including Author, Title, Do	ate, Relevant Pages, Place of Publication)				
-	59	Grunstein and Hogness, "Colony hybridization: a method for the US A 72:3961-5 (1975);	he isolation of cloned DNAs that contain a	specific gene," Proc Natl Acad S			
60 Gubler and Hoffman, "A simple and very efficient method			generating cDNA libraries," Gene 25(2-3)	263-9 (1983);			
	61	Haase et al., "Detection of viral nucleic acids by in situ hybridization," Methods in Virology 7:189-226 (1984);					
	62	Hackney et al., "Nucleotide-free kinesin hydrolyzes ATP with burst kinetics," J Biol Chem 264:15943-8 (1989);					
	63	Hames and Higgins (eds.) Nucleic Acid Hybridisation: A Practical Approach Washington, DC: IRL Press (1987) not supplied;					
	64	Harlow and Lane, Antibodies, A Laboratory Manual Cold Spring Harbor, NY: Cold Spring Harbor Laboratory (1988) not supplied;					
	65	Henikoff and Henikoff, "Amino acid substitution matrices from protein blocks," Proc Natl Acad Sci U S A 89:10915-9 (1992);					
	66	Higgins and Sharp, "Fast and sensitive multiple sequence alignments on a microcomputer," Comput Appl Biosci 5(2):151-3 (1989);					
	67	Hoogenboom and Winter, "By-passing immunisation. Human antibodies from synthetic repertoires of germline VH gene segments rearrang in vitro," J Mol Biol 227:381-8 (1992);					
	68	Horn et al., "Oligonucleotides with alternating anionic and cationic phosphoramidate linkages: Synthesis and hybridization of stereo-uniform isomers," Tetrahedron Letters 37:743-746 (1996);					
	69	Howard et al., in Motility Assays for Motor Proteins Scholey (ed.) San Diego: Acadmeic Press, pp. 105-113 (1993);					
	70	Huse et al., "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda," Science 246:1275-8 (1989);					
	71	Hyman et al., "Preparation of modified tubulins," Methods Enzymol 196:478-85 (1991);					
	72	Innis et al. (eds.), PCR Protocols: A Guide to Methods and Applications San Diego: Academic Press (1990) not supplied;					
	73	Jenkins and Turner, "The biosynthesis of carbocyclic nucleosides," Chem Soc Rev 24:169-176 (1995);					
	74	Jones et al., "Replacing the complementarity-determining regions in a human antibody with those from a mouse," Nature 321:522-5 (1986);					
	75	Jung et al., "Hybridization of alternating cationic/anionic oligonucleotides to ma segments," Nucleosides & Nucleotides 13:1597-1605 (1994);					
	76	Karlin and Altschul, "Applications and statistics for multiple high-scoring segments in molecular sequences," <i>Proc Natl Acad Sci U S A</i> 90:5873-7 (1993);					
	77	Kishino and Yanagido, "Force measurements by micromanipulation of a single actin filament by glass needles," Nature 334:74-6 (1988);					
	78	Kodama et al., "The initial phosphate burst in ATP hydrolysis by myosin and subfragment-1 as studied by a modified malachite green method for determination of inorganic phosphate," J Biochem (Tokyo) 99:1465-72 (1986);					
:	79	Kohler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," Nature 256:495-7 (1975);					
	80	Kohler and Milstein, "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion," Eur J Immunol 6:511-9 (1976);					
	81	Kriegler, Gene Transfer and Expression: A Laboratory Manual New York: W. H. Freeman (1990) not supplied;					
	82	Kronvall, "A surface component in group A, C, and G streptococci with non-immune reactivity for immunoglobulin G," J Immunol 111:1401-6 (1973);					
	83	Letsinger and Mungall, "Phosphoramidate analogs of oligonucleotides," J Org Chem 35:3800-3 (1970);					
	84	Letsinger et al., "Effects of pendant groups at phosphorus on binding properties of d-ApA analogue," Nucleic Acids Res 14:3487-99 (1986);					
	85	Letsinger et al., "Cationic oligonucleotides," J Am Chem Soc 110:4470 (1988);					
	86	Li et al., "Targeted mutation of the DNA methyltransferase gene results in embryonic lethality," Cell 69:915-26 (1992);					
	87	Lombillo et al., "Antibodies to the kinesin motor domain and chromosomes in vitro," J Cell Biol 128:107-15 (1995);	CENP-E inhibit microtubule depolymeriza)			
	88	Lonberg and Huszar, "Human antibodies from transgenic mice	e," Int Rev Immunol 13:65-93 (1995) not s	upplied;			
caminer:			Date Considered:	E P			

Sheet 4 of 5 U.S. Department of Commerce Attorney Docket No.: UCSD-04742 Serial No.: 09/235,416 Patent and Trademark Office NATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Roman Sakowicz et al. (Use Several Sheets If Necessary) Group Art Unit: Filing Date: 01/22/99 (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Lonberg et al., "Antigen-specific human antibodies from mice comprising four distinct genetic modifications," Nature 368:856-9 (1994); 89 Mag et al., "Synthesis and selective cleavage of an oligodeoxynucleotide containing a bridged internucleotide 5'-phosphorothioate linkage," 90 Nucleic Acids Res 19:1437-41 (1991); 91 Maggio (ed.) Enzyme Immunoassay Boca Raton, FL: CRC Press (1980) not supplied; Marks et al., "By-passing immunization. Human antibodies from V-gene libraries displayed on phage," J Mol Biol 222:581-97 (1991); 92 Marks et al., "By-passing immunization: Building high affinity human antibodies by chain shuffling," Biotechnology 10:779-83 (1992); 93 Meier and Engels, "Peptide nucleic-acids (pnas): unusual properties of nonionic oligonucleotide analogs," Angewandte Chemie (Int Ed Engl) 94 Milstein and Cuello, "Hybrid hybridomas and their use in immunohistochemistry," Nature 305:537-40 (1983); 95 96 Monroe et al., Amer Clin Prod Rev 5:34-41 (1986) not supplied; 97 Morrison, "Transformation in Escherichia coli: cryogenic preservation of competent cells," J Bacteriol 132:349-51 (1977); Morrison, "Immunology. Success in specification," Nature 368:812-3 (1994); 98 Mosbach et al., "Formation of proinsulin by immobilized Bacillus subtilis," Nature 302:543-5 (1983); 99 Nazar and Wong, "Is the 5S RNA a primitive ribosomal sequence? Proc Natl Acad Sci U S A 82:5608-11 (1985); 100 Needham-VanDevanter et al., "Characterization of an adduct between CC-1065 and a defined oligodeoxynucleotide duplex," Nucleic Acids 101 Res 12:6159-68 (1984); Needleman and Wunsch, "A general method applicable to the search for similarities in the amino acid sequence of two proteins," J Mol Biol 102 48:443-53 (1970); 103 Neuberger, "Generating high-avidity human Mabs in mice," Nat Biotechnol 14:826 (1996); Ohtsuka et al., "An alternative approach to deoxyoligonucleotides as hybridization probes by insertion of deoxyinosine at ambiguous codon 104 positions," J Biol Chem 260:2605-8 (1985); 105 Palva et al., "Secretion of interferon by Bacillus subtilis," Gene 22:229-35 (1983); Paul (ed.) Fundamental Immunology 3rd edition, New York: Raven Press (1993) not supplied; 106 Pauwels et al., "Biological-activity of new 2-5a analogs," Chemica Scripta 26:141-145 (1986); 107 108 Pearson and Lipman, "Improved tools for biological sequence comparison," Proc Natl Acad Sci U S A 85:2444-8 (1988); Pearson and Reanier, "High-performance anion-exchange chromatography of oligonucleotides," J Chrom 255:137-149 (1983); 109 110 Presta, "Antibody engineering," Curr Opin Struct Biol 2:593-596 (1992); Rawls, "Optimistic about antisense," Chemical & Engineering News 75:35-39 (1997); 111 112 Riechmann et al., "Reshaping human antibodies for therapy," Nature 332:323-7 (1988); Rossolini et al., "Use of deoxyinosine-containing primers vs degenerate primers for polymerase chain reaction based on ambiguous sequence 113 information," Mol Cell Probes 8:91-8 (1994); Sambrook et al.(eds.), Molecular Cloning: A Laboratory Manual 2nd edition, New York: Cold Spring Harbor Laboratory (1989) not

Examiner:

EXAMINER:

114

115

116

117

118

supplied;

Publications (1994) not supplied;

Date Considered:

Sawai, "Synthesis and properties of oligoadenylic acids containing 2'-5' phosphoramide linkage," Chem Lett pp.805-808 (1984) not supplied;

Singer et al., "Optimization of in situ hybridization using isotopic and non-isotopic detection methods," Biotechniques 4:230-230 (1986)


Sanghvi and Cook (eds.) Carbohydrate Modifications in Antisense Research, ASC Symposium Series 580, Washington, DC: ACS

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Smith and Waterman, "Comparison of biosequences," Adv Appl Math 2:482 (1981);

S

FORMSP 10-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office TION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)



Serial No.: 09/235,416 Attorney Docket No.: UCSD-04742

Applicant: Roman Sakowicz et al.

Group Art Unit: Filing Date: 01/22/99

(37 CFR § 1.9	98(b))		Filing Date: 01/22/99	Group Art Unit:		
		OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)			
	119	Sprinzl et al., "Enzymatic incorporation of ATP and CTP analogues into the 3' end of tRNA," Eur J Biochem 81:579-89 (1977);				
	Stewart et al., "Direction of microtubule movement is an intrinsic property of the motor domains of kinesin heavy chain and Droprotein," Proc Natl Acad Sci U S A 90:5209-13 (1993);					
•	121	Stites and Terr (eds.) Basic and Clinical Immunology 7th edition, Norwalk: Appleton and Lange (1991) not supplied;				
	122	Suresh et al., "Bispecific monoclonal antibodies from hybrid hybridomas," Methods Enzymol 121:210-28 (1986);				
	123	Thomas and Capecchi, "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells," Cell 51:503-12 (1987);				
	124	Tijssen, <u>Laboratory Techniques in Biochemistry and Molecular Biology: Hybridization with Nucleic Acid Probes</u> Vol. 24, Amsterdam: Elsevier (1993) not supplied;				
	125	Traunecker et al., "Bispecific single chain molecules (Janusins) target cytotoxic lymphocytes on HIV infected cells," EMBO J 10:3655-9 (1991);				
	126	Vale et al., "Identification of a novel force-generating protein, kinesin, involved in microtubule-based motility," Cell 42:39-50 (1985);				
	127	Vasavada et al., "A contingent replication assay for the detection of protein-protein interactions in animal cells," Proc Natl Acad Sci U S A 88:10686-90 (1991);				
	128	Verhoeyen et al., "Reshaping human antibodies: grafting an antilysozyme activity," Science 239:1534-6 (1988);				
	129	Vonkiedrowski et al., "Parabolic growth of a self-replicating hexadeoxynucleotide bearing a 3',5'-phosphoamidate linkage," Angewandte Chemie-International Edition in English 30:423-426 (1991);				
	130	Wallace et al., "A set of synthetic oligodeoxyribonucleotide primers for DNA sequencing in the plasmid vector pBR322," Gene 16:21-6 (1981);				
	131	Ward et al., "Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia coli," Nature 341(6242):544-6 (1989);				
	132	Webster, Introduction to Fungi Cambridge: Cambridge University Press (1970) not supplied;				
	133	Zamecnik et al., "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous synthetic oligonucleotides complementary to viral RNA," Proc Natl Acad Sci U S A. 83:4143-6 (1986).				
Examiner:			Date Considered:			

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.